

COLLECTION : SILKETTE

ARTICLE : 8442

BASIC INFORMATION

Brand	VPF	Number of colour ways	18
Tariff item number	5407699000	MID	INDEEXP16
Country of origin	India	Characteristics	Jacquard
Vertical repeat cm	16.50	Vertical repeat inch	6.50
Horizontal repeat cm	11.50	Horizontal repeat inch	4.53
Face in	Yes	Full roll diameter cm	18
Full roll diameter inch	7.1	Average piece length m	50
Minimum for special colour m	1000	Delivery time weeks special lab dip	2

CARE AND USAGE

Care codes



Care code for bleaching

Do not bleach

Use codes

Curtains	Yes	Curtains and draperies	Yes
Bed covering	Yes	Accessories	Yes

ENVIRONMENTAL STANDARDS



FR STANDARDS

BS5852 source 0	Yes	CAL 117 Complies	Yes
FMVSS 302 Pass	Yes	NFPA 260	Yes
NFPA 701	Yes		

COLLECTION : SILKETTE

ARTICLE : 8442

FABRIC SPECIFICATIONS

Composition	100% Polyester	Average yarn number	54.52
Construction	107x28.2	Woven	Yes
Useable width cm	1.38	Useable width inch	54.33
Full width cm	140	Full width inch	55.1
Weight g/m ²	248	Thickness mm	0.000
Colouring type	Piece dyed	Filament or staple	100% filament
Textured or non textured	49 % not textured + 51% textured		

Treatment

No treatment Yes

Type of finish

Stenter Yes

Type of print or dye

Disperse Yes

Weaving type

Jacquard Yes

FABRIC TYPE

There are no technical details for this section.

COLLECTION : SILKETTE

ARTICLE : 8442

MECHANICAL PERFORMANCE

Martindale rubs	14,000	Colour fastness to light	4
Wyzenbeek double rubs	35,000	Pilling	4-5
Wyzenbeek wire screen double rubs	15,000	Wyzenbeek cotton duck double rubs	35,000
Wyzenbeek cotton duck type heavy upholstery	Yes	Wyzenbeek wire screen medium duty	Yes
Colour fastness to light - ISO 105-B02			
Colour fastness to light	4		
Colour fastness to water - ISO 105-E01			
Colour fastness to water	5		
Colour fastness to dry rub - ISO 105-X12			
Colour fastness dry rub	4-5		
Colour fastness to wet rub - ISO 105-X12			
Colour fastness wet rub	4-5		
Colour fastness to wear - ISO 12947-2			
Colour fastness to wear	4-5		
Tearing strength - ISO 13937-3			
Tearing strength warp N	73	Tearing strength weft N	30
Tensile strength - ISO 13934-1			
Tensile strength warp N/5cm	1200	Tensile strength weft N/5cm	1800
Elongation - ISO 13934-1			
Elongation warp %	38	Elongation weft %	25.5
Seam slippage - ISO 13936-2			
Seam slippage warp mm	2	Seam slippage weft mm	4
Dimensional stability (indicated in %) - ISO 3759			
Dimensional change warp	-0.14	Dimensional change warp after ironing with steam	0.13
Dimensional change warp after ironing without steam	0.07	Dimensional change weft	0.00
Dimensional change weft after ironing with steam	0.00	Dimensional change weft after ironing without steam	0.00

COLLECTION : SILKETTE

ARTICLE : 8442

WASHABILITY

Resistance to domestic washing 30° C, indicated in % - ISO 6330

Dimensional change warp	-0.50	Dimensional change warp after ironing	-0.53
Dimensional change weft	0.00	Dimensional change weft after ironing	0.00
Colour fastness ISO 105 C06	4-5		

Resistance to domestic washing 60°C, indicated in % - ISO 6330

Dimensional change warp	-1.86	Dimensional change warp after ironing	-1.66
Dimensional change weft	-0.20	Dimensional change weft after ironing	-0.20
Colour fastness ISO 105 C06	4-5		

Resistance to dry cleaning P, indicated in % - ISO 105 D01

Dimensional change warp	-1.59	Dimensional change warp after ironing	-0.07
Dimensional change weft	-0.13	Dimensional change weft after ironing	-0.07
Colour fastness ISO 105 D01	5		

CONSTRUCTION

Yarn 1

Weft Composition	100% Polyester	Weft Is Filament	Yes
Weft Is Not High Tenacity	Yes	Weft Sizes	400D
Weft Threads per cm	12.2	Weft TPM	NA

Yarn 2

Weft Composition	100% Polyester	Weft Is Filament	Yes
Weft Is Not High Tenacity	Yes	Weft Sizes	450D
Weft Threads per cm	10.5	Weft TPM	NA

Yarn 3

Weft Composition	100% Polyester	Weft Is Filament	Yes
Weft Is Not High Tenacity	Yes	Weft Sizes	550D
Weft Threads per cm	5.5	Weft TPM	600

Yarn 4

Warp Composition	100% Polyester	Warp Is Filament	Yes
Warp Is Not High Tenacity	Yes	Warp Is Textured	Yes
Warp Sizes	65/36/500	Warp Textured	Yes
Warp Threads per cm	107	Warp TPM	500

[COLLECTION : SILKETTE](#)[ARTICLE : 8442](#)[DOWNLOADS / CERTIFICATES](#)

There are no technical details for this section.

